



Carriage Drive Parts

Belt

1	1500-0855	'Y' axis drive belt
2	C2847-00029	Carriage belt NO LONGER SUPPLIED

Bracket

3	07575-40125	Drive-tensioner bracket - For pen carriage drive belt tensioning wedge
4	C1633-60029	Y-drive assembly bracket NO LONGER SUPPLIED
5	C2858-00007	Encoder spring bracket NO LONGER SUPPLIED

Bushing

6	C1633-20034	Bushing for reduction pulley
7	C2858-40016	Carriage bushing - Supports front of carriage on slider rod NO LONGER SUPPLIED
8	C2858-40017	Rear slider rod bushing (Spring loaded) - Slides into the rear center of the carriage assembly

Cable

9	C2858-60024	Carriage assembly trailing cable NO LONGER SUPPLIED
---	-------------	--

Carriage

10	C2858-60023	Pen carriage assembly - Drafting 'Head' assembly (Holds the four ink cartridges) NO LONGER SUPPLIED
----	-------------	--

Clamp

11	07575-40013	Left belt clamp - Attaches carriage belt to carriage NO LONGER SUPPLIED
12	07575-40014	Right belt clamp - Attaches carriage belt to carriage NO LONGER SUPPLIED

Encoder

13	C2858-60010	Linear encoder IC - Detects carriage position as it moves along encoder strip NO LONGER SUPPLIED
----	-------------	---

Motor

14	C2847-60221	Motor assembly - Includes power cable NO LONGER SUPPLIED
----	-------------	---

Pulley

15	07570-60105	Idler pulley - For main drive belt
16	07570-60112	Idler drive pulley - Applies tension to the pen carriage drive belt (small belt)
	C3170-60009	Reduction pulley - Between the motor belt and carriage belt NO LONGER SUPPLIED

Spring

18	1460-2061	Extension spring - Zinc plated music wire, 0.875in long, 0.187in OD, 0.020in wire diameter, 1.8 in/lb rate - For pen carriage drive belt pulley tensioning wedge NO LONGER SUPPLIED
19	C1633-80014	Compression spring - For the rear bushing on the carriage
20	C2858-00006	Encoder spring NO LONGER SUPPLIED

Wedge

21	07550-40104	Tensioning wedge (cam tensioner) - For the pen carriage drive belt pulley NO LONGER SUPPLIED
----	-------------	---



Electronic Accessories

Cable (Interface)

17255D	RS-232C serial cable - 25 pin (M) to 25 pin (F) - 1.2m (3.9ft) long NO LONGER SUPPLIED
17302A	RS-232C serial cable - 25 pin (M) to 8 pin (M) DIN - 1.5m (4.9ft) long NO LONGER SUPPLIED
24540-80010	Centronics (parallel) cable - 36 pin (M) to 25 pin (M) - 2.0m (6.6ft) long
24542G	RS-232C serial cable - 25 pin (M) to 9 pin (F) - 3.0m (9.8ft) long - Used to connect to HP Vectra and IBM PC/AT compatibles
5063-1256	IEEE-1284 Bi-Tronics parallel cable - DB-25 (M) connector (type A) to 36 pin Centronics (M) connector (type B) - 2.0m (6.6ft) long
5063-1257	IEEE-1284 Bi-Tronics parallel cable - DB-25 (M) connector (type A) to 36 pin Centronics (M) connector (type B) - 3.0m (9.8ft) long
C2913A	RS-232C serial cable - 25 pin (M) to 25 pin (F) - 1.2m (3.9ft) long NO LONGER SUPPLIED
C2950A	IEEE-1284 Bi-Tronics parallel cable - DB-25 (M) connector (type A) to 36 pin Centronics (M) connector (type B) - 2.0m (6.6ft) long
5063-1256	<i>New Part for C2950A</i>
C2951A	IEEE-1284 Bi-Tronics parallel cable - DB-25 (M) connector (type A) to 36 pin Centronics (M) connector (type B) - 3.0m (9.8ft) long
C2990A	IEEE-1284 Bi-Tronics parallel cable - DB-25 (M) (type A) to 36 pin (M) Centronics (type B) - 1.8m (6ft) long NO LONGER SUPPLIED
C2991A	IEEE-1284 Bi-Tronics parallel cable - DB-25 (M) (type A) to 36 pin (M) Centronics (type B) - 3.0m (10ft) long NO LONGER SUPPLIED

Memory (Product)

C2065A	4MB, 80nS, 36-bit SIMM memory module - For HP LaserJet IIISi, 4/4M, 4Si/MX NO LONGER SUPPLIED
C2066A	8MB, 80nS, 36-bit SIMM memory module - For HP LaserJet IIISi, 4/4M, 4Si/MX

Memory (SIMM)

35	D2152-69001	8MB, 80nS, 36-bit SIMM memory module REQUIRES RETURN OF DEFECTIVE PART
	<i>D2152-63001</i>	<i>New Part for D2152-69001</i>
36	D2156-69001	4MB, 80nS, 36-bit SIMM memory module REQUIRES RETURN OF DEFECTIVE PART
	<i>D2156-63001</i>	<i>New Part for D2156-69001</i>
	D3578-69001	32MB, 70nS, 36-bit parity SIMM memory module REQUIRES RETURN OF DEFECTIVE PART
	<i>D3578-63001</i>	<i>New Part for D3578-69001</i>

PostScript

C2882-60001	Adobe's PostScript (Level 2) SIMM module NO LONGER SUPPLIED
-------------	--

Electronics/Power Supply

Bracket

39	C1633-40064	Media sensor mounting bracket
----	-------------	-------------------------------

Cable

40	C2847-60005	Power supply cable - Has 12 pin (F) connectors - 33cm (13 inches) long NO LONGER SUPPLIED
41	C2858-60011	Cable harness assembly which connects the main logic board to the primer assembly, the primer sensor, the drop sensor, and the bail sensor cable NO LONGER SUPPLIED



Electronics/Power Supply

Control Panel

- 42 C2847-60087 Control panel assembly - Includes ribbon cable
NO LONGER SUPPLIED

Ferrite Assembly

- 43 9170-1535 Split ferrite - Installed inside electronics enclosure
NO LONGER SUPPLIED

Firmware

- 44 C2858-60162 ROM SIMM (Version 5.2) - Plugs into main logic board
NO LONGER SUPPLIED

IC ROM

- 45 1818-5637 EEPROM (U42) - On main logic board
NO LONGER SUPPLIED

Insulator

- 46 C1633-00080 Power supply insulator (Bottom)
NO LONGER SUPPLIED
- 47 C2847-00019 Power supply insulator (Top) - Installed over the power supply
NO LONGER SUPPLIED

PC Board

- 48 0950-2417 Power supply board
NO LONGER SUPPLIED
- 49 C2858-60105M Interconnect board
- 50 C2858-69207 Main logic board
NO LONGER SUPPLIED

Power Cord

- 8120-0698 Power cord (Black) - 18 AWG, 2.3m (7.5ft) long - Has straight (F) receptacle (For 220V/240V in the USA and Canada)
- 8120-1351 Power cord (Mint Gray) - 17 AWG, 2.3m (7.5ft) long - Has straight (F) receptacle (For 240V in the UK, Hong Kong, Singapore, Malaysia, and Brunei)
- 8120-1369 Power cord (Mint Gray) - 17 AWG, 2.0m (6.6ft) long - Has straight (F) receptacle (For 240V in Australia, New Zealand, and China)
- 8120-1378 Power cord (Jade Gray) - 18 AWG, 2.3m (7.5ft) long - Has straight (F) receptacle (For 120V in USA, Canada, Latin America, Korea, Taiwan, Thailand, Spain, Brazil, and Vietnam)
- 8120-1689 Power cord (Mint Gray) - 17 AWG, 2.0m (6.6ft) long - Has straight (F) receptacle (For 220V in Europe, Bangladesh, Indonesia, Pakistan, Burma, Sri Lanka, and Vietnam)
- 8120-2104 Power cord (Mint Gray) - 2.0m (6.6ft) long - Has straight (F) receptacle (For 220V in Switzerland)
- 8120-2956 Power cord (Mint Gray) - 2.0m (6.6ft) long - Has straight (F) receptacle (For 220V in Denmark)
- 8120-4211 Power cord (Mint Gray) - 17 AWG, 2.0m (6.6ft) long - Has straight (F) receptacle (For 240V in South Africa and India)

Receptacle

- 59 C1633-60020 AC power receptacle assembly - Includes receptacle, wires, grounding lug, and socket to power supply
NO LONGER SUPPLIED

Sensor

- 60 C2858-60007 Optical primer sensor - Used to determine initial position of the primer assembly cam

Switch

- 61 C2847-60044 Power switch assembly - Includes cable
NO LONGER SUPPLIED

External Case Parts

Bin

- 62 C2847-00005 Media bin back - For top of wire rack below plotter
NO LONGER SUPPLIED
- 63 C2847-00006 Media bin front - Main part of wire rack below plotter
NO LONGER SUPPLIED



External Case Parts

Bin

64	C2847-00012	Media bin adjust - Adjustable media bottom stop in wire rack NO LONGER SUPPLIED
----	-------------	--

Caster

65	1492-0145	Lockable caster assembly - Includes stem and washer NO LONGER SUPPLIED
----	-----------	---

Cover

66	C1633-00031	MIO slot access cover
67	C2847-00010	Electronic enclosure cover NO LONGER SUPPLIED
68	C2858-40044	Right end cover - For end of upper stand (Chassis) assembly NO LONGER SUPPLIED
69	C2858-60215	Left end cover assembly - For end of upper stand (Chassis) NO LONGER SUPPLIED

Cross-Brace

70	C3185-00034	Cross-brace - Main structure that extends between stand legs NO LONGER SUPPLIED
----	-------------	--

Enclosure

	C2847-60004	Enclosure (Outer) - Metal structure installed over the inner electronics enclosure NO LONGER SUPPLIED
72	C2847-60018	Enclosure (inner) - Metal structure that forms the base of the electronics enclosure ssembly NO LONGER SUPPLIED

Hardware Kit

	C2847-60061	Hardware kit - Package of 6 screws for stand assembly NO LONGER SUPPLIED
--	-------------	---

Hinge

74	07575-40012	Male half of hinge (on window) - For lift-up window NO LONGER SUPPLIED
75	07575-40111	Female half of hinge (on chassis) - For lift-up window NO LONGER SUPPLIED

Holder

76	C1633-40094	Holder - For 'Help' card and hand held cutter NO LONGER SUPPLIED
----	-------------	---

Keycap

77	5041-1203	Power switch keycap (White)
----	-----------	-----------------------------

Leg

78	C2847-60002	Leg assembly - Side support with foot bar and 2 casters NO LONGER SUPPLIED
----	-------------	---

Nameplate/Logo

79	C2858-00017	Nameplate - DesignJet 650C printer NO LONGER SUPPLIED
----	-------------	--

Overlay

80	C2858-60026	Control panel overlay (English) NO LONGER SUPPLIED
81	C2858-60027	Control panel overlay (German) NO LONGER SUPPLIED
	C2858-60026	<i>New Part for C2858-60027</i>
82	C2858-60028	Control panel overlay (Spanish) NO LONGER SUPPLIED
83	C2858-60029	Control panel overlay (French) NO LONGER SUPPLIED



External Case Parts

Overlay

84	C2858-60030	Control panel overlay (Japanese) NO LONGER SUPPLIED
85	C2858-60031	Control panel overlay (Italian) NO LONGER SUPPLIED
86	C2858-60033	Control panel overlay (Portuguese) NO LONGER SUPPLIED

Plate

87	C2847-00027	SIMM Plate - Covers access to SIMM slot connectors NO LONGER SUPPLIED
----	-------------	--

Window

88	C2847-40003	Lift-up viewing window NO LONGER SUPPLIED
----	-------------	--

Optional Interfaces

Interface (Module)

J4101-61011	External JetDirect 300X print server module (10Base-T and 100Base-T) - Connects between printer parallel port and LAN network - Does NOT include power module - (J4101A, J4101B)
-------------	--

Interface (Product)

J2550B	EtherTwist (10Base-T) LAN interface board NO LONGER SUPPLIED
J2552B	LAN & LocalTalk interface - Has EtherTwist (10Base-T) , ThinLAN (10Base-2) , and LocalTalk (DIN-8) connectors NO LONGER SUPPLIED
J2555B	Token ring LAN interface board - DB-9 and RJ-45 connectors NO LONGER SUPPLIED
J2590A	External JetDirect LAN interface module with RJ-45 connector for EtherTwist (10Base-T) or 100VG/802.12 input and 3 parallel (DB-25) output connectors NO LONGER SUPPLIED
J2591A	External JetDirect LAN interface module and power module - Has EtherTwist (10Base-T) and ThinLAN (10Base-2) connectors NO LONGER SUPPLIED
J3258B	External JetDirect 170X LAN interface module - Interfaces a parallel printer to an ethernet 10Base-T (RJ-45) LAN
J3264A	External JetDirect 500X token ring interface module - Interfaces up to 3 parallel printers to a token ring (DB-9 or RJ-45) LAN
J3265A	External JetDirect 500X LAN interface module - Interfaces up to 3 parallel printers to an ethernet 10Base-T (RJ-45), 10Base2 (BNC), or 100Base-TX (RJ-45) LAN

Module

J2382-69003	External JetDirect LAN interface module with ethertwist (10Base-T) and ThinLAN (10BASE-2) connectors
J2383-61005	External token ring interface module - Has DB-9 connector
J2590-69001	External JetDirect LAN interface module with RJ-45 connector for ethertwist (10Base-T) or 100VG/802.12 input and 3 parallel (DB-25) output connectors REQUIRES RETURN OF DEFECTIVE PART
J2590-61011	<i>New Part for J2590-69001</i>
J2591-69001	External JetDirect LAN interface module with ethertwist (10Base-T) and ThinLAN (10BASE-2) connectors
J2592-69001	External JetDirect LAN interface module with ethertwist (10Base-T) connector REQUIRES RETURN OF DEFECTIVE PART
J2592-61001	<i>New Part for J2592-69001</i>
J2593-69001	External JetDirect LAN interface module with Ethertwist (10Base-T) and ThinLAN (10BASE-2) input connectors and 3 parallel (DB-25) output connectors - (part of J2593A)
J2594-69001	External JetDirect token ring interface module with DB-9 and RJ-45 input connectors and 3 parallel (DB-25) output connectors - (part of J2594A) REQUIRES RETURN OF DEFECTIVE PART
J2594-61011	<i>New Part for J2594-69001</i>



Optional Interfaces

Module

J3258-61011	External JetDirect LAN interface module with EtherTwist (10Base-T) connector - (J3258A, J3258B)
J4102-69011	External JetDirect LAN interface module with EtherTwist (10Base-T) connector - (J4102A, J4102B) REQUIRES RETURN OF DEFECTIVE PART
<i>J4102-61011</i>	<i>New Part for J4102-69011</i>

Module (Product)

J4101B	External JetDirect LAN interface module with EtherTwist (10Base-T/Base-TX) connector
J4102B	External JetDirect LAN interface module with EtherTwist (10Base-T) connector

PC Board (Interface)

J2371-69001	EtherTwist 10Base-T interface board NO LONGER SUPPLIED
J2372-69001	LAN interface board with EtherTwist 10Base-T and ThinLAN 10Base-2 connectors
<i>J4100-69001</i>	<i>New Part for J2372-69001</i>
J2373-60001	Token ring interface board - Has DB-9 connector NO LONGER SUPPLIED
J2550-69013	EtherTwist 10Base-T LAN interface board
J2552-69013	LAN and LocalTalk interface - EtherTwist (10Base-T), ThinLAN (10Base-2), and LocalTalk (DIN-8) connectors
J2555-69013	Token ring LAN interface board - DB-9 and RJ-45 connectors

Power Cord

8120-1351	Power cord (Mint Gray) - 17 AWG, 2.3m (7.5ft) long - Has straight (F) receptacle (For 240V in the UK, Hong Kong, Singapore, Malaysia, and Brunei)
8120-1369	Power cord (Mint Gray) - 17 AWG, 2.0m (6.6ft) long - Has straight (F) receptacle (For 240V in Australia, New Zealand, and China)
8120-1378	Power cord (Jade Gray) - 18 AWG, 2.3m (7.5ft) long - Has straight (F) receptacle (For 120V in USA, Canada, Latin America, Korea, Taiwan, Thailand, Spain, Brazil, and Vietnam)
8120-1689	Power cord (Mint Gray) - 17 AWG, 2.0m (6.6ft) long - Has straight (F) receptacle (For 220V in Europe, Bangladesh, Indonesia, Pakistan, Burma, Sri Lanka, and Vietnam)
8120-2104	Power cord (Mint Gray) - 2.0m (6.6ft) long - Has straight (F) receptacle (For 220V in Switzerland)
8120-2956	Power cord (Mint Gray) - 2.0m (6.6ft) long - Has straight (F) receptacle (For 220V in Denmark)
8120-4753	Power cord (Flint Gray) - 18 AWG, 2.3m (7.5ft) long - Has straight (F) receptacle (For 100V in Japan)
8120-6302	'Daisy chain' power cord (Dove Gray) - 18 AWG, 1.2m (4.0ft) long - Has C14 (M) plug for power input and C13 (F) plug for power output

Power Module

0950-2372	Power supply module - 100-240VAC input, 47-63Hz, requires separate AC power cord - 5VDC output, 1A, 5 watts - For J2382/83A/B
0950-3169	Wall mount power supply module - 110-127V AC 57-63Hz input - 13V DC output at 300mA (USA, Canada) - For use with the J2592A external JetDirect LAN interface module
0950-3170	Power supply module - 209-253VAC input, 47-53Hz - 13VDC output, 300mA (Europe, Israel) - For use with the J2592A external JetDirect LAN interface module
0950-3171	Power supply module - 220-240VAC input, 47-53Hz - 13VDC output, 300mA (U.K., Hong Kong) - For use with the J2592A external JetDirect LAN interface module
0950-3172	Power supply module - 240VAC input, 47-53Hz - 13VDC output, 300mA (Australia) - For use with the J2592A external JetDirect LAN interface module
0950-3348	Wall mount power supply module (MEI-AH ED12006) - 110-127VAC input, 57-63Hz - 13VDC output, 800mA, 10.4 watts (for use in the United States and Canada) - For models J2590/91/93/94A, J2964A, J3258A/B, J3263/64/65A, J3282B, J4101A/B, J4102A/B
0950-3349	Wall mount power supply module (MEI-AH ED12007) - 230VAC input, 47-53Hz - 13VDC output, 800mA, 10.4 watts (for use in Europe and Israel) - For JetDirect/infrared interface models J2590/91/93/94A, J2964A, J3258A/B, J3263/64/65A, J3282B, J4101A/B, J4102A/B
0950-3350	Wall mount power supply module (MEI-AH ED12008) - 220-240VAC input, 47-53Hz - 13VDC output, 800mA, 10.4 watts (for use in the United Kingdom) - For JetDirect/infrared interfaces J2590/91/93/94A, J2964A, J3258A/B, J3263/64/65A, J3282B, J4101A/B, J4102A/B



Optional Interfaces

Power Module

0950-3351	Wall mount power supply module (MEI-AH ED12009) - 220VAC input, 47-63Hz - 13VDC output, 800mA, 10.4 watts (for use in South Korea) - For JetDirect/infrared interface models J2590/91/93/94A, J2964A, J3258A/B, J3263/64/65A, J3282B, J4101A/B, J4102A/B
0950-3352	Wall mount power supply module (MEI-AH ED12010) - 100VAC input, 47-63Hz - 13VDC output, 800mA, 10.4 watts (for use in Japan) - For JetDirect/infrared interface models J2590/91/93/94A, J2964A, J3258A/B, J3263/64/65A, J3282B, J4101A/B, J4102A/B
0950-3354	Wall mount power supply module (MEI-AH ED12010) - 220-250VAC input, 47-53Hz - 13VDC output, 800mA, 10.4 watts (for use in South Africa) - For JetDirect/infrared interface models J2590/91/93/94A, J2964A, J3258A/B, J3263/64/65A, J3282B, J4101A/B, J4102A/B
9100-5176	Wall mount power supply module (Leader Electronics 48130625HK) - 200VAC input, 48-52Hz - 13VDC output, 625mA (Hong Kong) - For JetDirect Modules and Infrared Interface Models J2590/91/93/94A, J2964A, J3258A/B, J3263/64/65A, J3282B, J4101A/B, J4102A/B
0950-3350	<i>New Part for 9100-5176</i>

Other Accessories

CD-ROM (Support)

C7769-90066	DesignJet support CD ROM - Version A.04.01 - Has product information, user's manuals, service manuals, diagnostic software, test drawings, newsletters, and service notes
-------------	---

Cartridge

51640A	Black print cartridge (w/ level indicator) - Prints approx.1120 pages based on 5% density on a 8 inch by 10 inch print area (for USA)
51640AA	Black print cartridge (with level indicator) - Prints approx.1120 pages based on 5% density on a 8 inch by 10 inch print area (for Asia/Pacific)
51640AE	Black print cartridge (with level indicator) - Prints approx.1120 pages based on 5% density on a 8 inch by 10 inch print area (for Europe)
51640AL	Black print cartridge (with level indicator) - Prints approx.1120 pages based on 5% density on a 8 inch by 10 inch print area (for Latin America)
51650C	Cyan (Blue) ink cartridge (with level indicator) - For USA
51650CA	Cyan (Blue) ink cartridge (with level indicator) - For Asia/Pacific
51650CE	Cyan (Blue) ink cartridge (with level indicator) - For Europe
51650CL	Cyan (Blue) ink cartridge (with level indicator) - For Latin America
51650M	Magenta (Red) ink cartridge (with level indicator) - For USA
51650MA	Magenta (Red) ink cartridge (with level indicator) - For Asia/Pacific
51650ME	Magenta (Red) ink cartridge (with level indicator) - For Europe
51650ML	Magenta (Red) ink cartridge (with level indicator) - For Latin America
51650Y	Yellow ink cartridge (with level indicator) - For USA
51650YA	Yellow ink cartridge (with level indicator) - For Asia/Pacific
51650YE	Yellow ink cartridge (with level indicator) - For Europe
51650YL	Yellow ink cartridge (with level indicator) - For Latin America

Cleaning Supplies

C6247A	DesignJet cleaning kit - Includes cleaning solution and 20 cleaning rags
--------	--

Envelope

5960-8286	Final exam return envelopes - Contains 10 envelopes
-----------	---

Kit

5182-7317	Maintenance kit - Carriage assembly, left bail bracket, reduction pulley, service station kit, 'Y' belt, and a small end cap for the paper spindle (for sale in Korea/Asia Pacific ONLY) NO LONGER SUPPLIED
-----------	--



Other Accessories

Label

C3195-00057 Safety label - Provides warning that encoder strip is sharp

Lubricant

6040-0854 Synthetic Oil (1/2oz Plastic Bottle - for lubricating the front and rear slider rods

6040-0855 Synthetic oil - 4oz (113g) plastic bottle

C3190-60155 Grease - For helical gear (Drive roller gear)

Manual

07595-90001 HP-GL reference guide - Programming information
NO LONGER SUPPLIED

5959-9733 HP-GL/2 & HP RTL reference guide - Programming information, handbook for developers

5960-3743 HP RTL reference guide - Programming information

C2858-90000 DesignJet 650C service manual (English)
NO LONGER SUPPLIED

Manual Kit

C2858-90169 DesignJet 650C manual kit - Includes 'Using Front Panel', 'Setting Up for Plotting', and 'Quick Reference' guides (English)
NO LONGER SUPPLIED

C2858-90170 DesignJet 650C manual kit - Includes 'Using Front Panel', 'Setting Up for Plotting', and 'Quick Reference' guides (Chinese)
NO LONGER SUPPLIED

C2858-90171 DesignJet 650C manual kit - Includes 'Using Front Panel', 'Setting Up for Plotting', and 'Quick Reference' guides (Thai)
NO LONGER SUPPLIED

C2858-90172 DesignJet 650C manual kit - Includes 'Using Front Panel', 'Setting Up for Plotting', and 'Quick Reference' guides (German)
NO LONGER SUPPLIED

C2858-90173 DesignJet 650C manual kit - Includes 'Using Front Panel', 'Setting Up for Plotting', and 'Quick Reference' guides (French)
NO LONGER SUPPLIED

C2858-90174 DesignJet 650C manual kit - Includes 'Using Front Panel', 'Setting Up for Plotting', and 'Quick Reference' guides (Spanish)
NO LONGER SUPPLIED

C2858-90175 DesignJet 650C manual kit - Includes 'Using Front Panel', 'Setting Up for Plotting', and 'Quick Reference' guides (Italian)
NO LONGER SUPPLIED

C2858-90176 DesignJet 650C manual kit - Includes 'Using Front Panel', 'Setting Up for Plotting', and 'Quick Reference' guides (Japanese)
NO LONGER SUPPLIED

C2858-90177 DesignJet 650C manual kit - Includes 'Using Front Panel', 'Setting Up for Plotting', and 'Quick Reference' guides (Portuguese)
NO LONGER SUPPLIED

C2858-90178 DesignJet 650C manual kit - Includes 'Using Front Panel', 'Setting Up for Plotting', and 'Quick Reference' guides (Korean)
NO LONGER SUPPLIED

Packaging

C3195-60113 Repackaging kit - For main plotter unit
NO LONGER SUPPLIED

Return Kit

5183-5268 Return kit with box and instructions - For returning defective Thermal InkJet (TIJ) 2.5 InkJet cartridges covered under the CREW program - For USA

5184-2833 Return kit with box and instructions - For returning defective Thermal InkJet (TIJ) 2.5 InkJet cartridges covered under the CREW program - For use outside of the USA



Other Accessories

Software

C6072-60281	Toolbox and driver software - HP-GL/2 and RTL drivers for Windows 3.1/95/98/NT 4.0 (all DesignJets), and toolbox software for Windows 95/NT 4.0 (Only for DesignJet 430/450C/455CA/1050C/1055CM) - On 3.5-inch 1.44MB floppy disks (English)
C6072-60284	Toolbox and driver software - HP-GL/2 and RTL drivers for Windows 3.1/95/98/NT 4.0 (all DesignJets), and toolbox software for Windows 95/NT 4.0 (Only for DesignJet 430/450C/455CA/1050C/1055CM) - On 3.5-inch 1.44MB floppy disks (German)
C6072-60285	Toolbox and driver software - HP-GL/2 and RTL drivers for Windows 3.1/95/98/NT 4.0 (all DesignJets), and toolbox software for Windows 95/NT 4.0 (Only for DesignJet 430/450C/455CA/1050C/1055CM) - On 3.5-inch 1.44MB floppy disks (French)
C6072-60286	Toolbox and driver software - HP-GL/2 and RTL drivers for Windows 3.1/95/98/NT 4.0 (all DesignJets), and toolbox software for Windows 95/NT 4.0 (Only for DesignJet 430/450C/455CA/1050C/1055CM) - On 3.5-inch 1.44MB floppy disks (Spanish)
C6072-60287	Toolbox and driver software - HP-GL/2 and RTL drivers for Windows 3.1/95/98/NT 4.0 (all DesignJets), and toolbox software for Windows 95/NT 4.0 (Only for DesignJet 430/450C/455CA/1050C/1055CM) - On 3.5-inch 1.44MB floppy disks (Italian)
C6072-60301	HP-GL/2 driver software for AutoCAD - For DOS and Windows 3.1/95/NT 4.0 - On 3.5-inch 1.44MB floppy disks (English)
C6072-60304	HP-GL/2 driver software for AutoCAD - For DOS and Windows 3.1/95/NT 4.0 - On 3.5-inch 1.44MB floppy disks (German)
C6072-60305	HP-GL/2 driver software for AutoCAD - For DOS and Windows 3.1/95/NT 4.0 - On 3.5-inch 1.44MB floppy disks (French)
C6072-60306	HP-GL/2 driver software for AutoCAD - For DOS and Windows 3.1/95/NT 4.0 - On 3.5-inch 1.44MB floppy disks (Spanish)
C6072-60307	HP-GL/2 driver software for AutoCAD - For DOS and Windows 3.1/95/NT 4.0 - On 3.5-inch 1.44MB floppy disks (Italian)

Training Kit

C2858A+49A-61	Self paced training kit for DesignJet 650C plotters - Includes service manual, NTSC format video (VHS), and ten tests NO LONGER SUPPLIED
C2858A+49A-62	Self paced training kit for DesignJet 650C plotters - Includes service manual, PAL format video (VHS), and ten tests NO LONGER SUPPLIED

Other Internal Parts

Bracket

188	C2847-00051	Y-tensioner bracket on left side plate NO LONGER SUPPLIED
-----	-------------	--

Bushing

189	C3195-40076	Cutter bushing - Connects cutter assembly to slider rod
-----	-------------	---

Cap

C3190-40076	Cartridge cap - Keeps cartridges from drying out when carriage is parked in service station NO LONGER SUPPLIED
-------------	---

Clamp

191	1400-1021	Cable clamp
192	9170-1533	Clamp - Holds ferrite in place within electronics enclosure NO LONGER SUPPLIED

Cutter

193	C2858-60021	Cutter mechanism assembly - Auto cutter for rollfeed paper
-----	-------------	--

Fan

194	3160-0814	Tubeaxial fan (Matsushita FBK-09A12M2-MOD) - 12VDC, 35.3cfm - Mounting hole center spacing 82.5mm, 25.5mm thick NO LONGER SUPPLIED
-----	-----------	---



Other Internal Parts

Guide

195 C4704-40109 MIO board guide

Housing

196 C1633-00033 MIO support - Metal housing for the plug-in MIO card - Does not include the board guides
NO LONGER SUPPLIED

197 C2858-40001 Service station housing
NO LONGER SUPPLIED

Primer

198 C2858-60003 Primer assembly - Mounts under the service station assembly on the left side of the plotter
NO LONGER SUPPLIED

Reservoir

199 C2858-40038 Reservoir - Attaches to left side chassis - Ink absorber is inserted into this reservoir
NO LONGER SUPPLIED

Sensor

200 C2847-60069 Sensor assembly (for lift-up window)
NO LONGER SUPPLIED

Service Station

201 C2858-60152 Service station kit - Includes service station cap, 4 primer tubes, absorber, sled, wiper, drop detect sensor, and bail sensor cable
NO LONGER SUPPLIED

Spring

202 C4723-80027 Cutter shim / bail spring
NO LONGER SUPPLIED

Strip

203 C4713-60098 Encoder strip assembly (D-size) - Includes encoder strip and encoder strip spring

Paper Drive Parts

Absorber

220 C2858-00078 Absorber
NO LONGER SUPPLIED

Bail

221 C2858-60114 Bail assembly - Has star wheel assemblies attached

Bail Lift Mechanism

222 C2858-60209 Bail lift mechanism kit - Includes cam gear, engaging lever, engaging lever gear, engaging lever spring, Y-tensioner bracket, bail lift cam, cam gear support, screws, and washers
NO LONGER SUPPLIED

Bearing

223 1410-0708 Sleeve bearing - Used on left end of overdrive assembly

Bracket

224 C1633-40037 Right bail bracket
NO LONGER SUPPLIED

225 C1633-40038 Left bail bracket

226 C2847-00051 Y-tensioner bracket on left side plate
NO LONGER SUPPLIED

Cable

227 C2847-60019 Ribbon cable - 5 pin (F) connector to 5 pin (F) connector - 40.3cm (15.9 inches) long
NO LONGER SUPPLIED



Paper Drive Parts

Cam

- 228 C1633-40052 Bail lift cam - Activates the bail lift lever (part of the bail lift mechanism kit)
NO LONGER SUPPLIED
- C3190-60149 Left cam journal - Mounted on left end of pincharm shaft

Gear

- 230 C1633-40019 Overdrive gear cluster
- 231 C1633-40027 Bail engaging lever gear
- 232 C1633-40028 Bail lift cam gear
NO LONGER SUPPLIED

Gear Assembly

- 233 C4705-60089 Clutch / overdrive gear assembly

Handle

- 234 C1633-40030 Pinchwheel manual lift handle - Paper loading lever
NO LONGER SUPPLIED

Hardware

- 235 0510-0083 Retaining E-ring - 0.250-in diameter, steel zinc-dichromate dip

Lever

- 236 C2847-40013 Bail engaging lever - Used to move engaging lever gear
NO LONGER SUPPLIED

Motor/Gear

- 237 C2848-60003 Motor/encoder assembly (includes helical drive gear) - 'X' axis drive - NOTE: motor and gear are only sold as a set

Mount

- 238 C1633-20006 'X' axis motor mount
NO LONGER SUPPLIED
- 239 C1633-40089 Overdrive mount block

Overdrive Assy

- 240 C4705-60121 Overdrive assembly (D) - Includes roller, enclosure, bushings

Plate

- 241 C1633-00009 Axial Bias Plate - Installed between the paper drive (Platen) Roller Assembly and the right frame
NO LONGER SUPPLIED

Platen

- 242 C2847-00041 Entry Platen - Installed over the paper drive (Platen) roller assembly
NO LONGER SUPPLIED

Reservoir

- 243 C2858-40039 Ink drop reservoir - Installs on right side of plotter

Roller

- 244 C4699-60042 Paper drive (Platen) roller assembly - Long gear driven roller - Includes roller and mark encoder

Sensor

- 245 C2847-60021 Media sensor assembly - Includes cable
- C2847-60022 Pincharm sensor - Includes cable
NO LONGER SUPPLIED
- 247 C3180-60034 Pincharm sensor - Includes cable
NO LONGER SUPPLIED

Spring

- 248 C1633-80006 Bail engaging lever spring
NO LONGER SUPPLIED



Paper Drive Parts

Starwheel Mount

249 C4713-60035 Starwheel mount assembly - Includes cover, body, spring and two starwheels

Support

250 C2847-40015 Cam gear support - Supports bail lift cam gear - Mounted on Y-tensioner bracket (Part of the bail lift mechanism kit)
NO LONGER SUPPLIED

C2858-60209 *New Part for C2847-40015*

Paper and Other Media

Film (Matte)

51642C Polyester matte film - B size (11 x 17-inches) - 40 sheets
NO LONGER SUPPLIED

51642A *New Part for 51642C*

51642F Polyester matte film - A3 size (29.7cm x 42.0cm) - 40 sheets
NO LONGER SUPPLIED

51642G Polyester matte film - D size (22 x 34-inches) - 40 sheets
NO LONGER SUPPLIED

51642A *New Part for 51642G*

51642H Polyester matte film - A1 size (59.4cm x 84.1cm) - 40 sheets
NO LONGER SUPPLIED

51642A Polyester matte film - 61cm (24in) x 36.6m (120ft) roll

51642J Polyester matte film - Architectural D size (24 x 36-inches) - 40 sheets
NO LONGER SUPPLIED

51642A *New Part for 51642J*

Paper

C3851A Opaque bond paper - 61cm (24in) x 45.7m (150ft) roll
NO LONGER SUPPLIED

C3855A Opaque bond paper - Architectural D size (24 x 36-inches) - 100 sheets
NO LONGER SUPPLIED

C1860A *New Part for C3855A*

C3889A Color InkJet cut sheet paper - Architectural D size (24 x 36-inches) - 100 sheets
NO LONGER SUPPLIED

51631D *New Part for C3889A*

Paper (InkJet)

51630Y Color InkJet CX cut sheet paper - A size (8.5 x 11-inches) - 200 sheets per package
NO LONGER SUPPLIED

51631A Color InkJet CX cut sheet paper - B size (11 x 17-inches) - 200 sheets per package
NO LONGER SUPPLIED

51631B Color InkJet CX cut sheet paper - A3 size (29.7cm x 42.0cm) - 200 sheets per package
NO LONGER SUPPLIED

51631G Color InkJet cut sheet paper - D size (22 x 34-inches) - 100 sheets per package
NO LONGER SUPPLIED

51631D *New Part for 51631G*

51631H Color InkJet cut sheet paper - A1 size (59.4cm x 84.1cm) - 100 sheets per package
NO LONGER SUPPLIED

51631D Color InkJet paper - 61cm (24in) x 45.7m (150ft) roll

51648D Heavyweight color InkJet paper - 61cm (24in) x 45.7m (150ft) roll
NO LONGER SUPPLIED



Roll Feed Parts

Brake/Housing

- 251 C4704-60199 Brake/housing assembly (on right side) - Accepts the flange end of the spindle rod assembly - Includes the 2 housing pieces, 2 brake shoes, brake gear, brake lever, and springs

Cover

- 252 C4705-60084 Rollfeed access cover - Opens forward to allow access to paper spindle assembly - Includes cover and springs

End Cap

- 253 C2858-40043 Spindle end cap (small) (or core spacer) - Removes for loading the media roll
- 254 C3172-40006 Spindle end cap (large)

Housing

- 255 C4704-60082 Housing assembly (on left side)


Spindle Kit

- 256 C2847-60093 Rollfeed spindle rod assembly (D-size) - Includes spindle and end caps
- 257 C3172A D/A1 rollfeed spindle rod assembly for DesignJet 6xx/7xx - Includes spindle and end caps

Spring


- 258 C2847-80001 Extension spring - Holds the rollfeed access cover closed
NO LONGER SUPPLIED
- C4705-60084 *New Part for C2847-80001*

Bail and Overdrive Assemblies




Bail Lift Mechanism Kit


 Bail Lift Mechanism Kit - 222, 250




Carriage Axis Drive (Left End)




Carriage Axis Drive (Right End)




Cutter Assembly




Electronics Enclosure




Left Endcover and Trim




Manual Lift Lever




Paper Drive Assemblies




Pen Carriage Assembly



Right Endcover and Trim




Rollfeed Components




255


253



256, 257




251




252, 258


Service Station Assembly



Stand Assemblies




Starwheel Mount Assembly



|
249

Window and Back Cover Assemblies





HP Parts Reference Guide

<http://www.hp.com/go/parts>

HP PartSurfer

<http://partsurfer.hp.com>

HP Parts Ordering Information

<http://www.hp.com/go/hpparts>

HP Parts Questions/Comments

<http://partsurfer.hp.com/contactus.htm>